

Monoclonal antibody to Galectin-3, clone 1C8, hlgG1

Catalogue # R1-239-100

Immunogen: Recombinant Galectin-3 protein

Immunogen Recombinant Galectin-3 protein produced by Description: CHO-based cell line (expressed by QMCF

Technology).

Source: Human

Clonality: Human monoclonal

Clone: 1C8

Class: hlgG1

Application: ELISA, CLIA

Kd: 3.659 x 10-9 M

Purification: Produced recombinantly using CHO-based cell

line (expressed by QMCF technology). Purified using protein A affinity chromatography followed

by desalting

Purity: >95%

Concentration: 1 mg/ml

Buffer: PBS, pH 7.4

QC: LabChip protein analysis, analytical SEC, Octet

binding analysis

Shipping: Shipped with blue ice.

Storage: Store at +4 °C. Avoid multiple freeze-thaw

cycles.





Figure 1. CE-SDS virtual gel output (LabChip GX) for monoclonal antibody to Galectin-3, clone 1C8 under non-reduced (NR, left) and reduced (R, right) conditions.

Peak #	RT (min)	Estimated Mw (Da)*	Area	Area %
1	8.919	129826	2696.23	100.00

Chromatogram




^{*}Calculated using calibration curve obtained from AdvanceBio SEC 300A Protein Standard (p/n 5190-9417) retention times. Peaks with integrated areas below 0.5% of the calculated values were excluded from analysis.

Figure 2. Analytical SEC of final product.

Peak #	RT (min)	Estimated Mw (Da)*	Area	Area %
1	8.919	129953	2547.70	100.00

Chromatogram



^{*}Calculated using calibration curve obtained from AdvanceBio SEC 300A Protein Standard (p/n 5190-9417) retention times. Peaks with integrated areas below 0.5% of the calculated values were excluded from analysis.

Figure 3. HPLC analytical SEC after 3 freeze-thaw cycles.




Figure 4. Octet binding analysis, antibody was loaded on sensor for capture of Galectin-3 protein in different concentrations.