

Rabbit polyclonal antibody to IgY, DyLight 488 conjugate

Catalogue #	904-100
Immunogen:	chicken IgY
Immunogen Description:	Purified IgY fraction
Class:	IgG
Reactivity:	Reacts with chicken IgY antibodies
Application:	IF
Protocol:	IF: 5 to 10 μg/ml
	Polyclonal antibody working titer has to be established practically for each particular antigen and assay format
IF:	5-10 μg/ml
Purification:	IgG fraction purifiedby IgY affinity chromatography
Buffer:	PBS pH 7.4, with 50% glycerol
Unit Size:	100 µg
Related Products:	Rabbit-anti chicken polyclonal antibodies, different conjugates. For more information visit <u>www.www.icosagen.com/antibodies</u>
Shipping:	This product is shipped in frozen format.
Storage:	Store at –2070°C upon receipt. Divide antibody into aliquots prior usage. Avoid multiple freeze-thaw cycles
Limitations:	This product is for research use only




Figure 1. Immunofluorescent analysis for testing of Rabbit anti-chicken polyclonal antibody DyLight 488 conjugate as secondary antibody. Chicken polyclonal antibody to human GFR?-3 (305-100 Icosagen), dilution 1:3000 was used as primary antibody. For nuclear staining DAPI was used. A. U2OS cells expressing GFR?-3. B. Non-transfected U2OS cells. ArrayScan VTI platform (Thermo Scientific) was used for image acquisition (10x objective)