

## Recombinant mAb to human MANF (clone 2B8, chicken-mouse IgG2a chimeric antibody)

Catalogue # 341-100

Immunogen: Human MANF

Immunogen Recombinant human MANF protein produced using CHO-based Icosagen Cell factory Ltd.

proprietary suspension cell line. Immunogen is

purified from cell culture supernatant

Alternative Names: ARMET, ARP

Uniprot ID: P55145

Clonality: Mouse monoclonal

Clone: 2B8, chicken-mouse IgG2a chimeric antibody

Class: mlgG2a

Reactivity: Human MANF

Application: ELISA, IF, IHC-C

Protocol: Conformational antibody, not suitable for

Western Blot application.

Monoclonal antibody working titer has to be established practically for each particular antigen

and assay format

ELISA: 0,02-0,1 μg/ml

IF: 1-20 μg/ml

Purification: MabSelect affinity chromatography

Buffer: PBS pH 7.4, with 0.1% sodium azide

Shipping: This product is shipped in non-frozen liquid form

in ambient conditions

Storage: Store at -20...-70°C upon receipt. Divide antibody

into aliquots prior usage. Avoid multiple freeze-

thaw cycles

Background: MANF is a trophic factor for midbrain dopamine

neurons in vivo. It prevents the 6-OHDA- induced degeneration of dopamine neurons in rodent models of Parkinson's disease (Lindholm et al., 2008, Voutilainen et al., 2009). When administered after 6-OHDA-lesioning it restores the dopaminergic function and prevents degeneration of dopamine neurons in substantia nigra pars compacta





Figure 1. IF testing of anti-MANF monoclonal antibody (341-100). Immunofluorescence detection of human MANF expressed in human U2OS cells by chimeric monoclonal antibody to hMANF (341-100). Anti-hMANF antibody dilution in IF experiment was 1  $\mu$ g/ml. Upper panel: MANF-expressing U2OS cells. Lower panel: Negative control (non-transfected cells)

A






Figure 2: Immunohistochemical analysis of MANF monoclonal antibody (341-100). Analysis was performed using mouse pancreas cryosections. Antibody concentration of 5  $\mu$ g/ml was used. A. WT mouse pancreas. B. MANF KO mouse pancreas.